

## A: GENERAL INFORMATION

SL NO	INFORMATION	DETAILS
1	NAME OF THE SCHOOL	KLG PUBLIC SCHOOL
2	AFFILIATION NO.	2131123
3	SCHOOL CODE	81263
4	COMPLETE ADDRESS WITH PIN CODE	K L G PUBLIC SCHOOL, NALHEDA BAKKAL, AMBALA ROAD SAHARANPUR (247001)
5	PRINCIPAL NAME AND QUALIFICATION	Dr. NEERU TYAGI B.Sc, B.Ed, M.A.(English). MSW, Ph.D. UGC NET, JRF, SRF UP TET, CTET
6	SCHOOL EMAIL ID	<a href="mailto:KLGPUBLICSCHOOL@GMAIL.COM">KLGPUBLICSCHOOL@GMAIL.COM</a>
7	CONTACT DETAILS	91-9761243434

## B: DOCUMENTS AND INFORMATION

### 1: COPIES OF AFFILIATION /UPGRADE LETTER AND RECENT EXTENSION IF ANY



केन्द्रीय माध्यमिक शिक्षा बोर्ड  
Central Board of Secondary Education  
संबंधता - Online School Affiliation & Monitoring System R-2.0  
As per new Affiliation Bye-Laws



Contact Us

Front Letter No--EX-02474-2021

Dated: 03/10/2020

NO : CBSE/AFF/2131123 /EX-02474-2021/2020-21/

The Manager,  
K. L. G. Public School  
Naheda Bakhal, Ambala Road  
UTTAR PRADESH,SAHARANPUR , 247001  
(M: 99761704949)

Sub: Extension of General Affiliation up to Secondary/Senior Secondary Level - regarding  
Ref: Application No. EX-02474-2021

With reference to your application on the subject cited above; I am directed to convey the approval for Extension of General Affiliation as per details given below:-

Affiliation No :	2131123
Affiliated for :	Senior Secondary
Category :	Extension of General Affiliation
Period of Extension of :	01.04.2020 to 31.03.2025

In view of current COVID-19 pandemic which has most severely affected the normal functioning of schools in the country, however, the school is pursuing to provide extension of affiliation so as to avoid any difficulty for the purpose of admission /registration/ obtaining loan/renewal of various safety certificates from appropriate state authorities.

Therefore, the competent authority of the Board after due consideration has accorded approval for extension of Affiliation based on details/data submitted by school in online application for a further period of 5 years subject to fulfillment of following conditions:

- The school will follow the RTE Act, 2009 and Instructions issued thereon by the CBSE/Respective State /UT Govt. from time to time.
- The School is required to apply online for further extension of affiliation along with the requisite fee and other documents as per Rule 10.3 of Affiliation Bye Laws, 2018.
- The school will also abide by the conditions prescribed, if any, by the State Government concerned as mentioned in certificate as per appendix III issued by District Education Officer (DEO) /equivalent officer
- The school should ensure the strong governance and management of its activities in way of comprehensive and quantifiable planning in way of curriculum planning, infrastructure, resources, physical education, staff development and other co-curricular areas.
- The school should go through the provision of Affiliation and Examination Bye Laws and keep a copy thereof for reference purpose and also advised to visit CBSE websites i.e. <http://cbseacademic.nic.in/> & <http://cbse.nic.in/> for updates. The School is expected to see all circulars on these CBSE websites regularly.
- The school will strictly adhere to all rules regarding safety of students including Fire fighting and Transportation, etc. Further, school will provide adequate facilities for potable drinking water and clean healthy and hygienic toilets with washing facilities for boys and girls separately in proportion to the number of students. The school will ensure that Fire, Building, health and sanitation and safe drinking water certificates are renewed from time to time, as per norms.
- Admission to the school is to be restricted as per relevant rules of Examination Bye-laws and rule 2.4.5, 2.6.5, 7.1, 7.2, 8.4.2, 8.4.10 & other relevant rules of Affiliation Bye laws.
- The school is required to follow rule No.2.4.7 and 2.4.8 of Affiliation Bye Laws regarding Books and Quality of Education.
- The number of sections may be restricted as per the Appendix V of the Affiliation Bye-Laws of the Board. For increase in number of sections, the School shall apply online to the Board as per rule 15.7 of Affiliation Bye laws.
- The school shall be solely responsible for any legal consequences arising out of the use of school name/logo/society/trust or any other identity related to running of school affiliated to CBSE. The school shall also be liable to bear all legal charges incurred by the Board, if any, arising out of these circumstances.
- The school must strive to promote conservation of environment on their campus through rain water harvesting, segregation of waste at source, recycling of organic waste, proper disposal of waste including electronic waste, use of energy saving and energy efficient electrical equipment, greening of campus, use of solar energy, education and awareness amongst children on environment conservation and cleanliness etc
- The school shall submit their information through Online Affiliated School Information System (OASIS) as per details given in circular no. affiliation-06/2018 dated 24.04.2018. Link for OASIS is available on Board's website: [www.cbse.nic.in](http://www.cbse.nic.in)
- The optimum Section teacher ratio of 1:1.5 as well as student teacher ratio of 30:1 is to be maintained to teach various subjects and school shall appoint qualified and trained teaching staff on regular basis as per provisions of Affiliation Bye Laws of the Board.
- Every affiliated school shall sponsor regularly its bonafide and eligible students in Boards Class X and Class XII examinations from the year mentioned while granting affiliation/up-gradation regularly without break or inform with reasons thereof in writing well in time about the non-sponsoring of the candidates.
- Running of coaching institutions in the school premises in the pretext of providing coaching to the students for various examinations is not permitted by the Board. Strict action would be taken on defaulters.
- The Manager and the Principal of the school shall be jointly responsible for the authenticity of the online/offline documents/ information/data submitted by the School to the Board.
- Apart from rules to be adhered to by the school as mentioned above for drawing specific attention of the school authorities, the school authorities are required to acquaint themselves with all the rules contained in Affiliation & Examination Bye-laws and circulars/guidelines/notification issued by the Board from time to time. Any laxity in following rules/instructions of the Board will lead to action against school as per clause 12 of Affiliation Bye-laws-2018.
- The genuineness of information / documents / data submitted shall be of school and in case, if found otherwise the school shall invite action as per affiliation Bye laws-2018
- The school shall be responsible for submission of any pending compliance, reply of show case /legal notice/ complaint and for submission of data/information sought by the Board. The extension of 05 years shall be from the date of cessation of previous validity of extension of affiliation
- The school is required to remit pending fee, if any
- The extension of affiliation is being granted as one time measure. However, the cases where the Show Cause Notice was communicated or grievance / legal cases are pending against the school, the Board will take appropriate decision in this matter
- The school shall renew all mandatory safety certificate i.e Safe Drinking Water & Health and Hygiene certificate, Fire Safety Certificate and Building Safety Certificate from concerned Govt authorities time to time
- The school shall also maintain record of certificate, compliances, data and other records/information and shall be fully responsible to produce all such records before Board and appropriate Government Authorities when asked for, failing which necessary action shall be taken as per Affiliation-Bye-Laws of the Board. The school shall also be liable for action by the appropriate Govt., in case of violation / non-compliance of the concerned Govt. norms
- The Board reserves the right to conduct inspection of school as per clause 11.2 and 11.4 of Affiliation Bye Laws.

Deputy Secretary/ Joint Secretary(Affiliation)

This is a computer-generated document. No signature is required.

## 2: COPY OF SOCIETY/TRUST/COMPANY REGISTRATION /RENEWAL CERTIFICATE

-2-

मैं यतेन्द्र कुमार गुप्ता शपथकर्ता उपरोक्त शपथपूर्वक कथन करता हूँ कि:-

1-मेरा उपरोक्त नाम व पता सब सच व सही है।

2-यह कि मैं के0एल0जी0 पब्लिक स्कूल, नल्हेडा बक्काल अम्बाला रोड सहारनपुर की स्कूल मैनेजमेन्ट कमेटी का प्रबन्धक हूँ।

3-यह कि उपरोक्त मैनेमेन्ट कमेटी में 15 (पन्द्रह) सदस्यगण है, जिनकी सूची निम्नलिखित है।

क्र0स0	नाम	पता	व्यवसाय	पद
1	श्रीमति सुनीता गुप्ता	म0न0-22, किशोर बाग, दिल्ली रोड, सहारनपुर	गृहणी	अध्यक्ष
2	श्री अनुज बंसल	आवास विकास, सहारनपुर	व्यापार	उपाध्यक्ष
3	श्री यतेन्द्र कुमार गुप्ता	म0न0-62, किशोर बाग, दिल्ली रोड, सहारनपुर	व्यापार	प्रबन्धक

4	श्री पवन गर्ग	बिलासपुर रोड, जगाधरी, हरियाणा	व्यापार	उप प्रबन्धक
5	श्रीमति दिव्या गुप्ता	किशोर बाग, दिल्ली रोड, सहारनपुर	गृहणी	कोषाध्यक्ष
6	श्री गोविन्द बागला	निकट पंजाब होटल, रेलवे रोड, सहारनपुर	व्यापार	सदस्य
7	श्री दीपक कालडा	125, मिशन कम्पाउण्ड, सहारनपुर	व्यापार	सदस्य
8	श्री वी0के0 जैन	बी-28, वसंत विहार, सहारनपुर	व्यापार	सदस्य
9	श्री सुधीर जौशी	सहारनपुर पब्लिक स्कूल पेपर मिल रोड, सहारनपुर	प्रधानाचार्य	एजुकेसनिष्ट
10	श्री सुरेश पाल सिंह	लक्ष्मीधाम, न्यू माधो नगर, सहारनपुर	रिटायर्ड	एजुकेसनिष्ट लैक्चरर
11	श्रीमति स्मिता त्यागी	ब्रजेश नगर सहारनपुर	सर्विस	अभिभावक प्रतिनिधि
12	श्री अंशुल सिंघल	आवास विकास सहारनपुर	प्रधानाचार्य	अभिभावक प्रतिनिधि
13	डॉ0 नीरू त्यागी	126, भगवती कालोनी बेहट रोड सहारनपुर	प्रिसिपल कार्य	वाहक सचिव
14	श्री अनुज पंवार	साहिब जी नगर सहारनपुर	अध्यापक	अध्यापक प्रतिनिधि
15	श्रीमति शिल्पा पासी	पटेल नगर सहारनपुर	अध्यापिका	अध्यापक प्रतिनिधि

4-यह कि उपरोक्त मैनेजमेन्ट कमेटी के सदस्यों/पदाधिकारियों का एक दूसरे को रक्त का सम्बन्ध नहीं है।

यह कि उपरोक्त शपथ पत्र का पैरा 01 ता 04 मेरे जाति इलम में सब सच व सही है इसमें कुछ छिपाया नहीं गया है सच बोलने में भगवान मेरी मदद करें



Identified by

Sworn & Verified Before me

NOTARY  
Saharanpur

Y. K. Gurbils  
- शपथकर्ता

Y. K. Gurbils  
- शपथकर्ता

प्रारूप-9  
नियम 8(2) देखिये

संख्या 00671/2022-2023

दिनांक 20/09/2022



**सोसाइटी के नवीनीकरण का प्रमाण-पत्र  
(अधिनियम संख्या 21, 1860 के अधीन )**

नवीनीकरण संख्या:R/SAH/10060  
/2022-2023

पत्रावली संख्या:4792-S दिनांक:2012-2013

एतद्वारा प्रमाणित किया जाता है कि के0एल0जी0 एजुकेशनल सोसायटी, पता-किशोर बाग, देहली रोड डा0 वर्मा के पीछे, सहारनपुर, सहारनपुर, 247001 को दिये गये रजिस्ट्रीकरण प्रमाण-पत्र संख्या- 445 दिनांक- 12/09/2012 को दिनांक-12/09/2022 से पांच वर्ष की अवधि के लिए नवीनीकृत किया गया है | 1000 रुपये की नवीनीकरण फ़ीस सम्यक् रूप से प्राप्त हो गयी है |



**Digitally Signed By  
(LOKESH SRIVASTAVA)  
47F6C224A3C6BBD3AD7F7B1E65702E96DC79122C**

Date: 20/09/2022 11:35:33 AM, Location: Saharanpur.

जारी करने का दिनांक-20/09/2022

सोसाइटी के रजिस्ट्रार,  
उत्तर प्रदेश ।

प्रेषक,

ममता श्रीवास्तव,  
उप सचिव,  
उत्तर प्रदेश शासन।

सेवा में,

सचिव,  
केन्द्रीय माध्यमिक शिक्षा परिषद,  
शिक्षा केन्द्र-2 समुदाय केन्द्र,  
प्रोति विहार, नईदिल्ली।

शिक्षा (7) अनुभाग

लखनऊ: दिनांक: २५ जून, 2009

विषय :- के०एल०जी० पब्लिक स्कूल अम्बाला रोड,सहारनपुर को सी०बी०एस०ई० नईदिल्ली से संबद्धता हेतु अनापत्ति प्रमाण पत्र दिया जाना।

महोदय,

उपर्युक्त विषय की ओर आपका ध्यान आकृष्ट करते हुये मुझे यह कहने का निदेश हुआ है कि उक्त संदर्भित विद्यालय को सी०बी०एस०ई० नई दिल्ली से संबद्धता हेतु अनापत्ति प्रमाण पत्र दिये जाने में इस राज्य सरकार को निम्नलिखित प्रतिबन्धों के अधीन आपत्ति नहीं है:-

- (1) विद्यालय की पंजीकृत सोसायटी का समय-समय पर नवीनीकरण कराया जायेगा।
- (2) विद्यालय की प्रबंध समिति में शिक्षा निदेशक द्वारा नामित एक सदस्य होगा।
- (3) विद्यालय में कम से कम 10 प्रतिशत स्थान अनुसूचित जाति/जनजाति के मेधावी बच्चों के लिए सुरक्षित रहेंगे और उनसे उ०प्र० माध्यमिक शिक्षा परिषद/बेसिक शिक्षा परिषद द्वारा संचालित विद्यालयों में विभिन्न कक्षाओं के लिए निर्धारित शुल्क से अधिक शुल्क नहीं लिया जायेगा।
- (4) संस्था द्वारा राज्य सरकार से किसी अनुदान की माँग नहीं की जायेगी और यदि पूर्व में विद्यालय माध्यमिक शिक्षा परिषद से मान्यता प्राप्त है तथा विद्यालय की संबद्धता सेंट्रल बोर्ड आफ सेकेण्ड्री एजुकेशन नईदिल्ली/कौंसिल फार दि इण्डियन स्कूल सर्टीफिकेट इक्जामिनेशन नईदिल्ली से प्राप्त होती है, तो उस परीक्षा परिषदों से संबद्धता प्राप्त होने की तिथि से उ०प्र० माध्यमिक शिक्षा परिषद द्वारा प्रदत्त मान्यता तथा राज्य सरकार से प्राप्त अनुदान स्वतः समाप्त हो जायेंगे।
- (5) संस्था के शैक्षिक एवं शिक्षणेत्तर कर्मचारियों का राजकीय सहायता प्राप्त शिक्षण संस्थाओं के कर्मचारियों की अनुमन्य वेतनमानों तथा अन्य भत्तों से कम वेतनमान तथा अन्य भत्तें नहीं दिये जायेंगे।
- (6) कर्मचारियों की सेवा शर्तें बनायी जायेगी और उन्हें सहायता प्राप्त अशासकीय उच्चतर माध्यमिक विद्यालयों के कर्मचारियों को अनुमन्य सेवा निवृत्ति का लाभ उपलब्ध कराये जायेंगे।

---2---

NOC

- (7) राज्य सरकार द्वारा समय-समय पर जो भी आदेश निर्गत किये जायेंगे संस्था उनका पालन करेगी ।
- (8) विद्यालय का रिकार्ड निर्धारित प्रपत्र पंजिकाओं में रखा जायेगा ।
- (9) उक्त शर्तों में राज्य सरकार के पूर्वानुमोदन के बिना कोई परिवर्तन/संशोधन/परिवर्द्धन नहीं किया जायेगा ।

2- उक्त प्रतिबंधों का पालन करना संस्था के लिए अनिवार्य होगा और यदि किसी समय यह पाया जाता है कि संस्था द्वारा उक्त प्रतिबंधों का पालन नहीं किया जा रहा है अथवा पालन करने में किसी प्रकार की चूक या शिथिलता बरती जाती है तो राज्य सरकार द्वारा प्रदत्त अनापत्ति प्रमाण पत्र वापस ले लिया जायेगा ।

भवदीय,

(ममता श्रीवास्तव)  
उप सचिव ।

संख्या-1387(1)/15-7-2009 तददिनांक

- पतिलिपि निम्नलिखित को सचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित :-
- 1- शिक्षा निदेशक(मा0),उत्तर प्रदेश,लखनऊ ।
  - 2- मण्डलीय संयुक्त शिक्षा निदेशक,सहारनपुर ।
  - 3- जिला विद्यालय निरीक्षक, सहारनपुर ।
  - 4- निरीक्षक,आंग्ल भारतीय विद्यालय उ0प्र0,लखनऊ ।
  - ✓ 5- प्रबंधक,के0एल0जी0 पब्लिक स्कूल अम्बाला रोड,सहारनपुर ।
  - 6- गार्ड बुक ।

आज्ञा से,

(ममता श्रीवास्तव)  
उप सचिव ।

## 4: COPY OF RECOGNITION CERTIFICATE UNDER RTE ACT 2009 AND ITS RENEWAL IF APPLICABLE



केन्द्रीय माध्यमिक शिक्षा बोर्ड  
Central Board of Secondary Education  
संबंधता - Online School Affiliation & Monitoring System R-2.0  
As per new Affiliation Bye-Laws



Contact Us

Front Letter for -EX-02474-2021

NO : CBSE/AF/2131123 /EX-02474-2021/2020-21/

Dated: 03/10/2020

The Manager,  
K. L. G. Public School  
Naheda Bakka, Ambala Road  
UTTAR PRADESH, SAHARANPUR , 247001  
(M: 09761704949)

Sub: Extension of General Affiliation up to Secondary/Senior Secondary Level - regarding  
Ref: Application No. EX-02474-2021

With reference to your application on the subject cited above; I am directed to convey the approval for Extension of General Affiliation as per details given below:-

<b>Affiliation No :</b>	2131123
<b>Affiliated for :</b>	Senior Secondary
<b>Category :</b>	Extension of General Affiliation
<b>Period of Extension of :</b>	01.04.2020 to 31.03.2025

In view of current COVID-19 pandemic which has most severely affected the normal functioning of schools in the country, however, the school is pursuing to provide extension of affiliation so as to avoid any difficulty for the purpose of admission /registration/ obtaining loan/renewal of various safety certificates from appropriate state authorities.

Therefore, the competent authority of the Board after due consideration has accorded approval for extension of Affiliation based on details/data submitted by school in online application for a further period of 5 years subject to fulfilment of following conditions:

- The school will follow the RTE Act, 2009 and instructions issued thereon by the CBSE/respective State /UT Govt. from time to time.
- The School is required to apply on online for further extension of affiliation along with the requisite fee and other documents as per Rule 10.3 of Affiliation Bye Laws, 2018.
- The school will also abide by the conditions prescribed, if any, by the State Government concerned as mentioned in certificate as per appendix III issued by District Education Officer (DEO) /equivalent officer
- The school should ensure the strong governance and management of its activities in way of comprehensive and quantifiable planning in way of curriculum planning, infrastructure, resources, physical education, staff development and other co-curricular areas.
- The school should go through the provision of Affiliation and Examination Bye Laws and keep a copy there of for reference purpose and also advised to visit CBSE websites i.e. <http://cbseacademic.nic.in/> & <http://cbse.nic.in/> for updates. The School is expected to see all circulars on these CBSE websites regularly.
- The school will strictly adhere to all rules regarding safety of students including Fire fighting and Transportation, etc. Further, school will provide adequate facilities for potable drinking water and clean healthy and hygienic toilets with washing facilities for boys and girls separately in proportion to the number of students. The school will ensure that Fire, Building, health and sanitation and safe drinking water certificates are renewed from time to time, as per norms.
- Admission to the school is to be restricted as per relevant rules of Examination Bye-laws and rule 2.4.5, 2.6.5, 7.1, 7.2, 8.4.2, 8.4.10 & other relevant rules of Affiliation bye laws.
- The school is required to follow rule No.2.4.7 and 2.4.8 of Affiliation Bye Laws regarding Books and Quality of Education.
- The number of sections may be restricted as per the Appendix V of the Affiliation Bye-Laws of the Board. For increase in number of sections, the School shall apply online to the Board as per rule 15.7 of Affiliation Bye laws.
- The school shall be solely responsible for any legal consequences arising out of the use of school name/logo/society/trust or any other identity related to running of school affiliated to CBSE. The school shall also be liable to bear all legal charges incurred by the Board, if any, arising out of these circumstances.
- The school must strive to promote conservation of environment on their campus through rain water harvesting, segregation of waste at source, recycling of organic waste, proper disposal of waste including electronic waste, use of energy saving and energy efficient electrical equipment, greening of campus, use of solar energy, education and awareness amongst children on environment conservation and cleanliness etc
- The school shall submit their information through Online Affiliated School Information System (OASIS) as per details given in circular no. affiliation-06/2018 dated 24.04.2018. Link for OASIS is available on Board's website: [www.cbse.nic.in](http://www.cbse.nic.in)
- The optimum Section teacher ratio of 1:1.5 as well as student teacher ratio of 30:1 is to be maintained to teach various subjects and school shall appoint qualified and trained teaching staff on regular basis as per provisions of Affiliation Bye Laws of the Board.
- Every affiliated school shall sponsor regularly its bonafide and eligible students in Boards Class X and Class XII examinations from the year mentioned while granting affiliation/up-gradation regularly without break or inform with reasons thereof in writing well in time about the non-sponsoring of the candidates.
- Running of coaching institutions in the school premises in the pretext of providing coaching to the students for various examinations is not permitted by the Board. Strict action would be taken on defaulters.
- The Manager and the Principal of the school shall be jointly responsible for the authenticity of the online/offline documents/ information/data submitted by the School to the Board.
- Apart from rules to be adhered to by the school as mentioned above for drawing specific attention of the school authorities, the school authorities are required to acquaint themselves with all the rules contained in Affiliation & Examination Bye-laws and circulars/guidelines/notification issued by the Board from time to time. Any laxity in following rules/instructions of the Board will lead to action against school as per clause 12 of Affiliation Bye-laws-2018.
- The genuineness of information / documents / data submitted shall be of school and in case, if found otherwise the school shall invite action as per affiliation Bye laws-2018
- The school shall be responsible for submission of any pending compliance, reply of show cause /legal notice/ complaint and for submission of data/information sought by the Board. The extension of 05 years shall be from the date of cessation of previous validity of extension of affiliation
- The school is required to remit pending fee, if any
- The extension of affiliation is being granted as one time measure. However, the cases where the Show Cause Notice was communicated or grievance / legal cases are pending against the school, the Board will take appropriate decision in this matter
- The school shall renew all mandatory safety certificate i.e. Safe Drinking Water & Health and Hygiene certificate, Fire Safety Certificate and Building Safety Certificate from concerned Govt authorities time to time
- The school shall also maintain record of certificate, compliances, data and other records/information and shall be fully responsible to produce all such records before Board and appropriate Government Authorities when asked for, failing which necessary action shall be taken as per Affiliation-Bye-Laws of the Board. The school shall also be liable for action by the appropriate Govt., in case of violation / non-compliance of the concerned Govt. norms
- The Board reserves the right to conduct inspection of school as per clause 11.2 and 11.4 of Affiliation Bye Laws.

Deputy Secretary/ Joint Secretary(Affiliation)

This is a computer-generated document. No signature is required.

5: COPY OF BUILDING SAFETY CERTIFICATE AS PER NATIONAL BUILDING CODE

⑤  
10/11/19  
दिनांक 22-1-19

प्रमाण-पत्र

प्रमाणित किया जाता है कि के०एल०जी० पब्लिक स्कूल,  
अम्बाला रोड, नल्हेडा बक्काल, सहारनपुर का निरीक्षण दिनांक 22-01-2019 को किया  
गया। भवन प्रथम दृष्टया सामान्य श्रेणी का एवं मजबूत प्रतीत होता है। नेशनल  
बिल्डिंग कोड-2005 की चैकलिस्ट के अनुसार बिन्दुवार आख्या संलग्न है।

संलग्नक- चैकलिस्ट

सहायक अभियन्ता  
प्रान्तीय खण्ड, ल०नि०वि०,  
सहारनपुर

Principal  
22-1-19

PRINCIPAL  
K.L.G. PUBLIC SCHOOL  
Nalheda Bakkal, Ambala Road  
Saharanpur-247001





6: COPY OF FIRE SAFETY CERTIFICATE AS ISSUED BY THE COMPLEMENTRY AUTHORITY

22-1-19

विद्यालयों में सुरक्षा विशेषकर अग्नि से सुरक्षा सम्बन्धी चेकलिस्ट  
(ख) माध्यमिक विद्यालय (कक्षा-1 नर्सरी से 12) हेतु चेकलिस्ट  
के०एल०जी० पब्लिक सीनियर सेकण्डरी स्कुल  
अम्बाला रोड, नल्हेडा बक्काल, सहारनपुर

क्र० सं०	सुरक्षा सम्बन्धी तकनीकी बिन्दु	निरीक्षण आख्या
	<b>भवन की चेक लिस्ट</b>	
1	क्या भवन का मानचित्र पंजीकृत आर्किटेक्ट/इंजीनियर से बनवाया गया है?	हाँ
2	क्या भवन मानचित्र स्थानीय निकाय/प्राधिकरण/सक्षम अधिकारी द्वारा स्वीकृत है?	हाँ
3	क्या भवन तीन मंजिल से अधिक ऊंचा है?	नहीं दो मंजिला
4	क्या भवन हेतु भूमि का न्यूनतम क्षेत्रफल 1.80 हेक्टेयर (18000 वर्गमी०) है?	नहीं
5	क्या भवन के चारों तरफ 6.0 मी० खुला स्थान है?	हाँ
6	क्या भवन का ओरिएन्टेशन ऐसा है कि पर्याप्त प्रकाश एवं हवा का सर्कुलेशन है?	हाँ
7	क्या मुख्य पहुँच मार्ग (Approach Road) की चौड़ाई न्यूनतम 12 मी० है?	हाँ
8	क्या भवन की छत R.C.C. की बनी है? यदि नहीं तो क्या छत निर्माण में ज्वलनशील सामग्री तो प्रयोग में नहीं लाई गयी?	हाँ
9	क्या भवन की दीवारें ईंट या पत्थर की समेंट मसाले से बनी हैं?	हाँ
10	क्या भवन की दीवारों/ छतों में क्रैक है?	नहीं
11	क्या कक्षों की छतों की ऊंचाई फर्श से न्यूनतम 3.6 मी० (ठंडे क्षेत्रों में 3.0 मी०) है?	हाँ
12	क्या विद्यालय के मुख्य प्रवेश द्वार (बाण्ड्रीवाल गेट) की चौड़ाई 6.0 मी० एवं ऊंचाई 4.5 मी० है?	हाँ
13	क्या खिडकियों का क्षेत्रफल कक्षा के फर्श क्षेत्रफल का न्यूनतम 10 प्रतिशत है?	हाँ
14	क्या कक्षा में न्यूनतम दो दरवाजे हैं?	हाँ
15	क्या कक्षा में दरवाजों की न्यूनतम माप (चौड़ाई 1.0 मी० ऊंचाई 2.0 मी०) है?	हाँ
16	क्या विद्यालय भवन यदि दो मंजिला या अधिक है तो न्यूनतम दो स्टेयर केस (जीने) का प्राविधान है?	हाँ
17	क्या एक मंजिल से अधिक ऊंचे भवन में जीने की चौड़ाई न्यूनतम 1500 मिमी०, ट्रेड 300 मिमी० तथा राइजर 150 मिमी० है?	हाँ

  
 PRINCIPAL  
 K.L.G. PUBLIC SCHOOL  
 Nalheida Bahawal, Ambala Road  
 Saharanpur-247001

  
 बहालक कोमिश्नरी  
 प्रान्तीय खण्ड, नो.नि.वि.  
 सहारनपुर

पत्र 10/11/19 R 22/1/19

18	क्या भवन के कक्षों से जीने की अधिकतम दूरी 22.50 मी० है?	हाँ
19	क्या भवन के कोरीडोर की उंचाई न्यूनतम 2400 मिमी० है?	हाँ
20	क्या भवन में कोई ज्वलनशील पदार्थ (पेट्रोल/डीजल, केरोसीन, कुकिंग गैस, पुराना फर्नीचर, लकड़ी, कोयला, बांस आदि) मुख्य भवन में रखने की व्यवस्था है?	नहीं
21	क्या भवन में रसोई घर मुख्य भवन में स्थित है?	हाँ
22	क्या भवन में कोई ज्वलनशील पदार्थ अथवा जहरीला रसायन रखा जाता है?	नहीं
23	क्या भवन की आंतरिक फिनिश में शीघ्र ज्वलनशील सामग्री का प्रयोग तो नहीं किया गया?	नहीं
24	भवन यदि दो मंजिला है तो— (i) क्या भवन में तथा छत पर 5000 लीटर क्षमता का टैंक स्थापित है? (ii) क्या भवन में बेसमेन्ट (200 वर्ग मी० क्षेत्रफल या अधिक) बना है?	हाँ हाँ
25	क्या भवन में विकलांगों हेतु रैम्प की चौड़ाई न्यूनतम 1500 मिमी० तथा स्लोप अधिकतम 1:12 है?	नहीं
26	क्या भवन की सीढियां छत पर खुलती हैं?	हाँ
27	क्या भवन में मुख्य द्वार के अतिरिक्त आकस्मिक निकास की व्यवस्था है?	हाँ
28	क्या भवनके किसी भी तल की रिहायश क्षमता (Occupancy Load) 4 वर्ग मी० प्रति व्यक्ति से अधिक तो नहीं है?	नहीं
29	क्या सक्षम अधिकारी से भवन का Structural Stability प्रमाण पत्र प्राप्त किया गया है या नहीं?	हाँ
30	क्या दस वर्ष के उपरान्त भवन निरीक्षण की पुनः आवश्यकता है अथवा नहीं	हाँ

*Attested*  
*Upto*  
*24.1.19*

PRINCIPAL  
 K.L.G. PUBLIC SCHOOL  
 Nalveda Bakkal, Ambala Road,  
 Saharanpur-247001

बहालक अभियंता  
 प्रान्तीय खण्ड, प्रो.नि.वि.  
 सहारनपुर

22-1-19

विद्यालयों में सुरक्षा विशेषकर अग्नि से सुरक्षा सम्बन्धी चेकलिस्ट

(ख) माध्यमिक विद्यालय (कक्षा-1 नर्सरी से 12) हेतु चेकलिस्ट

के०एल०जी० पब्लिक सीनियर सेकण्डरी स्कूल

अम्बाला रोड, नल्हेडा बक्काल, सहारनपुर

क्र० सं०	सुरक्षा सम्बन्धी तकनीकी बिन्दु	निरीक्षण आख्या
	<u>भवन की चेक लिस्ट</u>	
1	क्या भवन का मानचित्र पंजीकृत आर्किटेक्ट/इंजीनियर से बनवाया गया है?	हाँ
2	क्या भवन मानचित्र स्थानीय निकाय/प्राधिकरण/सक्षम अधिकारी द्वारा स्वीकृत है?	हाँ
3	क्या भवन तीन मंजिल से अधिक ऊंचा है?	नहीं दो मंजिला
4	क्या भवन हेतु भूमि का न्यूनतम क्षेत्रफल 1.80 हेक्टेयर (18000 वर्गमी०) है?	नहीं
5	क्या भवन के चारों तरफ 6.0 मी० खुला स्थान है?	हाँ
6	क्या भवन का ओरिएन्टेशन ऐसा है कि पर्याप्त प्रकाश एवं हवा का सर्कुलेशन है?	हाँ
7	क्या मुख्य पहुँच मार्ग (Approach Road) की चौड़ाई न्यूनतम 12 मी० है?	हाँ
8	क्या भवन की छत R.C.C. की बनी है? यदि नहीं तो क्या छत निर्माण में ज्वलनशील सामग्री तो प्रयोग में नहीं लाई गयी?	हाँ
9	क्या भवन की दीवारें ईट या पत्थर की समेंट मसाले से बनी है?	हाँ
10	क्या भवन की दीवारों/ छतों में क्रैक है?	नहीं
11	क्या कक्षों की छतों की ऊंचाई फर्श से न्यूनतम 3.6 मी० (ठंडे क्षेत्रों में 3.0 मी०) है?	हाँ
12	क्या विद्यालय के मुख्य प्रवेश द्वार (बाण्ड्रीवाल गेट) की चौड़ाई 6.0 मी० एवं ऊंचाई 4.5 मी० है?	हाँ
13	क्या खिडकियों का क्षेत्रफल कक्षा के फर्श क्षेत्रफल का न्यूनतम 10 प्रतिशत है?	हाँ
14	क्या कक्षा में न्यूनतम दो दरवाजे हैं?	हाँ
15	क्या कक्षा में दरवाजों की न्यूनतम माप (चौड़ाई 1.0 मी० ऊंचाई 2.0 मी०) है?	हाँ
16	क्या विद्यालय भवन यदि दो मंजिला या अधिक है तो न्यूनतम दो स्टेयर केस (जीने) का प्राविधान है?	हाँ
17	क्या एक मंजिल से अधिक ऊंचे भवन में जीने की चौड़ाई न्यूनतम 1500 मिमी०, ट्रेड 300 मिमी० तथा राइजर 150 मिमी० है?	हाँ

Principal  
K.L.G. PUBLIC SCHOOL  
Nalheela Bahawal, Ambala Road  
Saharanpur-247001

22/1/19  
बहालक अधिकारी  
प्रान्तीय खण्ड, जे.नि.वि.  
सहारनपुर

# कार्यालय उप निदेशक फायर सर्विस, सहारनपुर

पत्रांक, 2014/SRR/ 65 /SDR/46

दिनांक 06 मई 2014

सेवा में,

प्रबन्धक/स्वामी  
के०एल०जी० पब्लिक स्कूल  
अम्बाला रोड, सहारनपुर

**विषय:-** प्लॉट/खसरा नम्बर 281,282,385/285,284,285,259,273तहसील व जिला सहारनपुर में निर्मित के०एल०जी० पब्लिक स्कूल अम्बाला रोड सहारनपुर भवन की कम्प्लीशन अग्निशमन अनापत्ति प्रमाण पत्र निर्गत किये जाने के सम्बन्ध में।

महोदय,

कृपया उपरोक्त विषयक आपके पत्र सं० शून्य दिनांक 28.04.2014 के माध्यम से उक्त प्रश्नगत भवन की अग्निशमन अनापत्ति प्रमाण पत्र निर्गत किये जाने का अनुरोध किया गया है।

उक्त प्रश्नगत भवन के मानचित्रों में अग्निशमन व्यवस्थाओं एवं अभिलेखों का परीक्षण अग्निशमन अधिकारी/मुख्य अग्निशमन अधिकारी द्वारा किया एवं सुसंगत मानकों के अनुसार परिशीलन किया गया। जिसका विवरण निम्न प्रकार है-

**भवन की संरचना:-**पत्र संख्या सी०एफ०ओ०-टी/०7 दिनांक 20.10.07 के अनुसार प्रोविजनल अनापत्ति प्रमाण पत्र के अनुसार निम्नवत है-

- 1-कुल भूखण्ड एरिया- 11617.00 वर्ग मी०। 10920.14 वर्ग मी० रोड बाइंडिंग के बाद
- 1- निर्मित भूतल कवर्ड एरिया 1090.20 वर्ग मी०।
- 2-प्रथम तल से ऊपरों तलों का टिपिकल कवर्ड एरिया 1007.38 वर्ग मी० (प्रत्येक तलवार विवरण)-
- 3-बेसमेंट प्रथम का कवर्ड एरिया- ×
- 4-बेसमेंट द्वितीय का कवर्ड एरिया- ×
- 5-बेसमेंट तृतीय का कवर्ड एरिया- ×
- 6-भवन की ऊंचाई - 8.4 मी० (निर्मित)।

भवन का अधिमोग एवं हैजार्ड श्रेणी-प्रश्नगत भवन का अधिमोग एन०वी०सी० की शैक्षणिक श्रेणी के अन्तर्गत वर्गीकृत किया गया है।

**ढांचागत व्यवस्था:-**

1. **पहुंच मार्ग-** भूखण्ड के सामने मानचित्रों में 12.0 मीटर रोड की चौड़ाई है। प्रवेश द्वार की चौड़ाई 4.80 मी० जो मानक के अनुसार है।

*Atul*  
*Kumar*  
PRINCIPAL  
K.L.G. PUBLIC SCHOOL  
Nalhedra Bakkal, Ambala Road  
Saharanpur-247001

2. सैटबेक:- भवन का सैटबेक निम्नवत है-

ए0-अग्रभाग-17.33 मी0 से अधिक।

बी0-पृष्ठ भाग-6.0 मी0 से अधिक

सी0-पार्श्व भाग प्रथम-6.0 मी0।

डी0-पार्श्व भाग द्वितीय-42.88 मी0 है।

उपरोक्तानुसार भवन के सैटबेक भवन नियमावली के अनुसार है। सैटबेक सदैव अवरोध मुक्त रखे जायेंगे। सैटबेक में किसी प्रकार का स्थाई/अस्थायी निर्माण कार्य मान्य नहीं होगा।

3-निकास मार्ग:-भवन में 03 स्टेयर प्रत्येक तल पर जिनकी चौड़ाई 1.50 मी0 का प्राविधान किया गया है, जिनकी पलोर के समस्त स्थानों से ट्रेवलिंग डिस्टेन्स अधिकतम अनुमन्य सीमा के अन्तर्गत है।

4-रिफ्यूज एरिया:- वांछित नहीं है।

5-अग्निशमनसुरक्षा व्यवस्था:-विद्यमान भवन में नेशनल बिल्डिंग कोड ऑफ इण्डिया-2005 के अनुसार निम्नांकित अग्निशमन व्यवस्थाएं पूर्ण की गई है।

1-होजरील/डाउन कामर :-वांछित नहीं है।

2-टेरिस टैंक एवं टेरिस पम्प:-, वांछित नहीं है।

3- भूमिगत टैंक:- वांछित नहीं है।

4-पम्प:-, वांछित नहीं है।

5-वेटराइजर:- वांछित नहीं है।

6-प्राथमिक अग्निशमन उपकरण (फायर एक्सटिंग्यूशर):- भारतीय मानक ब्यूरो -2190 के अनुसार कार्यशील दशा में स्थापित किये गये जो आई0एस0आई0 मार्क है।

7-ऑटोमेटिक सिप्रंकलर सिस्टम:-, वांछित नहीं है।

8-मैनुवल आपरेटिड इलैक्ट्रिक फायर एलार्म सिस्टम:- वांछित नहीं है।

9-ऑटोमेटिक डिटेक्शन एण्ड फायर एलार्म सिस्टम:- वांछित नहीं है।

10-स्मोक एक्स्ट्रैक्शन सिस्टम:- वांछित नहीं है।


11-प्रोशरार्इजेशन प्रणाली:- वांछित नहीं है।

12-एग्जिट साईनेज:- सम्पूर्ण भवन में एग्जिट साईनेज स्थापित किये गये है।


13-पी0ए0 सिस्टम:- पी0ए0सिस्टम की व्यवस्था सम्पूर्ण भवन में स्थापित है।

अतः उपरोक्तानुसार उपलब्ध अग्नि से सुरक्षा व्यवस्थाओं के आधार पर भवन को अग्निशमन अनापत्ति प्रमाण पत्र निम्न शर्तों के अधीन निर्गत किया जाता है:-

1. भवन प्रबन्धक को निर्देशित किया जाता है कि भवन में अग्नि सुरक्षा व्यवस्थाओं को सदैव कार्यशील दशा में बनाएं रखने हेतु मैन्टीनेन्स शैड्यूल बनाया जाये तथा उसी के अनुसार कार्यशील दशा में रखा जाये।
2. भवन में स्थापित अग्निशमन प्रणाली के संचालन हेतु नियमित प्रशिक्षित स्टाफ नियुक्त किया जाये।

  
PRINCIPAL  
V.L.G. PUBLIC SCHOOL  
Nalhedra Bakhal, Ambala Road  
Saharsapur-247001

3. किसी प्रकार का अतिरिक्त निर्माण कार्य कराये जाने से पूर्व अग्निशमन विभाग से अनापत्ति प्रमाण पत्र प्राप्त किया जाना अनिवार्य होगा।
4. भवन में स्थापित अग्निशमन व्यवस्थाओं में किसी प्रकार की त्रुटि पाये जाने पर इसकी सूचना अविलम्ब स्थानीय अग्निशमन केन्द्र को दी जाए तथा अविलम्ब पायी गयी त्रुटि का निवारण किया जाये।
5. प्रत्येक छः माह में एक बार भवन में कार्यरत सुरक्षा कर्मियों को मॉक ड्रिल/फायर ड्रिल कराई जायें तथा इमरजेन्सी इवेक्यूशन प्लान बनाया जाए, इसकी जानकारी सुरक्षा कर्मियों को प्रदान कराई जाए।
6. वर्ष में एक बार अग्निशमन विभाग से भवन में जीव रक्षा, फायर प्रिवेन्शन तथा फायर प्रोटेक्शन सिस्टम के कार्यशील होने का प्रमाण पत्र प्राप्त किया जाना अनिवार्य होगा।
7. भवन में स्थापित अग्निशमन व्यवस्थाओं के अनुरक्षण के अभाव में अथवा लापरवाही के कारण सिस्टम अकार्यशील दशा में पाये जाने का पूर्ण उत्तरदायित्व प्रबन्धक का होगा तथा निर्गत प्रमाण पत्र स्वतः ही निरस्त माना जायेगा।

  
 प्रभारी उपनिदेशक (फा0स0) /  
 प्रमुख अग्निशमन अधिकारी  
 सहारनपुर परिषद, सहारनपुर  
 सहारनपुर

(अनापत्ति प्रमाण पत्र निर्गमन अधिकारी)

प्रतिलिपि:-

1. मुख्य/अग्निशमन अधिकारी सहारनपुर को सूचनार्थ एवं आवश्यक कार्यवाही हेतु प्रेषित है।
2. आवेदक को सूचनार्थ एवं अनुपालनार्थ

  
 PRINCIPAL  
 KLG PUBLIC SCHOOL  
 Nalanda Bazar, Ambala Road  
 Saharsanpur-247001

7: COPY OF THE DEO CERTIFICATE SUBMITTED BY THE SCHOOL FOR AFFILIATION OR SELF CERTIFICATION BY SCHOOL



नवीकरण प्रमाण पत्र क्रमांक 162638

प्रारूप - 9

नियम 8 (2) देखिये

संख्या 2131

दिनांक 26-9-2017



सोसाइटी के नवीकरण का प्रमाण-पत्र  
( अधिनियम संख्या 21 , 1860 के अधीन )

नवीकरण संख्या 632 पत्रावली संख्या 4792-एस दिनांक 2002-2003

एतद्वारा प्रमाणित किया जाता है कि .....के एलएजीए एजुकेशनल सोसायटी, .....  
पता-किशोर बाग, देहली रोड डा0 वर्मा के पीछे सहारनपुर। .....को  
दिये गये रजिस्ट्रीकरण प्रमाण-पत्र<sup>45</sup> .....दिनांक 12-09-2002 को दिनांक  
12-09-2017..... से पांच वर्ष की अवधि के लिए नवीकृत किया गया है ।  
.....1000.....रुपये की नवीकरण फीस सम्यक् रूप से प्राप्त हो गयी है ।

जारी करने का दिनांक 26-09-2017

सोसाइटी के रजिस्ट्रार  
छत्तर प्रदेश

*Attested*  
PRINCIPAL  
K.L.G. PUBLIC SCHOOL  
Nalhedra Bakkal, Ambala Road  
Saharanpur-247001  
26.9.17

पी0एस0यू0पी0-ए0पी0 2 सो0 फर्म एवं विटस-21-11-2014-(1374)-2,00,000 रु0डि0 (रू0/टि0/रु0डि0)।

**8: COPY OF VALID HEALTH AND SANITATION CERTIFICATE:**

8

No.

Date : 24.01.2019

It is certified that an Inspection Team headed by Mr. Dr. Geeta Ram ( Nagar Swasthay Adhikari) from Nagar Nigam inspected the K.L.G. Public School, Nalheda Bakkal, Ambala Road, Saharanpur on 24.01.2019 and found that the K.L.G. Public School is maintaining the Hygenic Sanitation condition in the School Building and the campus as per the norms prescribed by the Central/State/U.T.Govt.

The above valid for a period of 24.01.2019 to 23.01.2020

Sign with Seal .....

नगर स्वास्थ्य अधिकारी

नगर नियम

Name... *Dr. Geeta Ram* .....

Designation *Nagar, Saharanpur* .....

To,

**The Principal,  
K.L.G. Public School,  
Nalheda Bakkal, Ambala Road,  
Saharanpur. Uttar Pradesh.**

*Attended*

*24.1.19*  
PRINCIPAL  
K.L.G. PUBLIC SCHOOL  
Nalheda Bakkal, Ambala Road  
Saharanpur-247001



